


DOMINO reception furniture



FEATURES

- Own unique design using various panel's thickness, material and colors;
- Modular front panels can be upholstered with fabric, pressed with veneer or melamine;
- Fits with fixed and sit-stand desks;
- Fits with acoustic screens;
- Wire management;
- 2 different shapes (U and L (left handed and right handed) and 3 different sizes:
 - U shape (2200, 3200, 3600 mm);
 - L shape (2035, 3035, 3435 mm).

TECHNICAL INFORMATION



Back/inside panel unit (1)


- 18mm chipboard pressed with melamine or 19 mm chipboard pressed with veneer.

Top of the upper unit (2)

- 18 mm chipboard pressed with melamine, with 2 mm ABS edges OR 19 mm chipboard pressed with veneer, with 1,5 mm edges;
- Assembled with a support, which is made of 12 mm chipboard.

Plinth base (3)

- Exterior part (front and side facades) 18 mm chipboard pressed with melamine or veneer.



Exterior part, panel units (front and side facades)

Side fabric panel (31 mm) (1):

- Made of 25 mm chipboard;
- VB2240 foam (3 mm);
- Only upholstered with fabric.

Front fabric or solid panel (18mm) (2):

- Made of 12 mm chipboard;
- Pressed with veneer or melamine, or upholstered with fabric;
- VB2240 foam is used (3 mm) when ordering panel upholstered with fabric;
- 4 sizes.

Front fabric panel (31mm) (3):

- Made of 25 mm chipboard;
- VB2240 foam (3 mm);
- Only upholstered with fabric;
- 4 sizes.

Wire cover cap (only black)

- For U shape receptions: 4 pcs. are included in the package;
- For L shape receptions: 2 pcs. are included in the package.


RANGE

SHAPE U

H 1100 mm



2200x1040 (1x1800 mm desk)




3200x1040 (2x1400 mm desk)




3600x1040 (2x1600 mm desk)

SHAPE L (left handed and right handed)


H 1100mm



2000x1040 (1x1800 mm desk)



3000x1040 (2x1400 mm desk)




3400x1040 (2x1600 mm desk)

FRONT PANELS

Thickness 18/31 mm, H 972 mm



200



400



600




800

Must be ordered



RMK200 and RMK400 for U shape receptions



RMK200 and RMK201 for L shape receptions



Optional



Power socket blocks



Cable tray*

*If you are ordering power socket block, we highly recommend to order cable tray.

ADDITIONAL INFORMATION

Front panels set length



All receptions have required length of front panel set. It means that before ordering front panel set you need to know what is the exact requirement for your reception. Please, find this information below.

Carcass code	Front panel set length
RMS220	1600 mm
RMS320	2600 mm
RMS360	3000 mm
RMS200	1400 mm
RMS300	2400 mm
RMS340	2800 mm
RMS201	1400 mm
RMS301	2400 mm
RMS341	2800 mm

Cable wiring

U shape reception cable wiring scheme:
You can install wires from both sides for U form receptions.

L shape reception cable wiring scheme:
For L form you can only install it from one side.



In assembly scheme you will find step by step how to manage all wires. In the reception packages you will find everything what you need for inside carcass installation. Plastic rings and special fixed wire holders with screws.