

OPTIMA pedestals

QUALITY STANDARD

- LST CEN/TR 14073-1:2004
- LST CEN/TR 14073-2:2004
- LST EN 14074:2004

TECHNICAL INFORMATION



MOBILE PEDESTALS



DESK HEIGHT PEDESTALS



FILING PEDESTALS



FIXED PEDESTALS

Carcass

- Made of 16 mm MFC (melamine), 1 mm ABS edging;
- PEX627, PEX637, PEX647 made of 18 mm MFC (melamine), 1 mm ABS edging.

Feet

- Plastic height levelling feet, H=38 mm +10 mm (OPTIMA PLUS);
- H=23 mm +10 mm (PSS, PEX series).

Castors


- Twin wheel castor Ø 37 mm;
- Max. 50 kg per castor.



Pencil tray ZZZ004
Suitable for pedestals PSR540, PSR525, PSP525, PSR541, PSR532, PSR535, PSP532.

Additional options

- Drawers: foil wrapped drawer, metal-sided drawer, file drawer, full extension file drawer;
- First pencil drawer can be made from plastic;
- Locking: first drawer lock or central locking;
- Anti-tilt mechanism;
- Top made of 25 mm MFC (melamine) with 2 mm ABS edging or 16 mm MFC (melamine) with 1 mm ABS edging.




Handle type (colour + handle code)




Pencil tray for metal sided drawers ZZZ006
Suitable for pedestals PUS642, PUS635, PUS835, PUR636, PUR637.

RANGE


Mobile pedestals




Desk height pedestals



Filing pedestals



Fixed pedestals




1. Foil wrapped drawers: sides made from white 12 mm MFC (melamine), bottom made from white 4 mm fiberboard. L=450 mm. Load max. 15 kg;
2. Metal-sided drawers: bottom and back made from white 16 mm MFC (melamine). L=500 mm. Load max. 25 kg;
3. First drawer lock;
4. Central locking;
5. First pencil drawer from plastic;
6. File drawer;
7. Full extension file drawer suitable for A4 or foolscap filing;
8. Anti-tilt mechanism;
9. Top made of 25 mm MFC (melamine), 2 mm ABS edging;
10. Top made of 16 mm MFC (melamine), 1 mm ABS edging.

Optional




Plastic pencil tray



Plastic legs (5 pcs.)



Additional base elements with height adjustment



Top for desk height pedestals